

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m³/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_ARG_001	772.77	29.63	772.66	25.1	3.4	772.67	25.7	3.5	772.66	25.3	3.4	772.77	29.6	3.5	772.67	25.6	3.4	
PT_ARG_002	764.93	29.63	764.72	25.1	1.9	764.75	25.7	1.9	764.73	25.3	1.9	764.93	29.6	1.9	764.74	25.6	1.9	
PT_ARG_003	750.13	29.63	749.98	25.1	4.0	750.01	25.7	3.9	749.99	25.3	3.9	750.13	29.6	3.8	750.00	25.6	3.9	
PT_ARG_004	734.91	29.63	734.78	25.1	4.2	734.80	25.7	4.3	734.79	25.3	4.3	734.91	29.6	4.4	734.79	25.6	4.3	
PT_ARG_005	720.74	29.63	720.61	25.1	4.3	720.63	25.7	4.3	720.62	25.3	4.3	720.74	29.6	4.3	720.62	25.6	4.3	
PT_ARG_006	704.27	29.63	704.18	25.1	3.9	704.19	25.7	4.0	704.18	25.3	4.0	704.27	29.6	4.1	704.19	25.6	4.0	
PT_ARG_007	682.79	29.63	682.69	25.1	3.2	682.71	25.7	3.2	682.70	25.3	3.2	682.79	29.6	3.3	682.71	25.6	3.2	
PT_ARG_008	680.36	29.63	680.09	25.1	2.3	680.14	25.7	2.3	680.11	25.3	2.3	680.36	29.6	2.3	680.12	25.6	2.3	
PT_ARG_009	674.28	29.63	674.20	25.1	4.7	674.21	25.7	4.8	674.20	25.3	4.8	674.28	29.6	5.1	674.20	25.6	4.8	
PT_ARG_010	672.19	29.63	672.05	25.1	3.9	672.07	25.7	3.9	672.06	25.3	3.9	672.19	29.6	3.9	672.07	25.6	3.9	
PT_ARG_011	670.17	29.63	670.11	25.1	5.7	670.12	25.7	5.8	670.11	25.3	5.7	670.17	29.6	6.2	670.11	25.6	5.7	
PT_ARG_012	668.99	29.63	668.92	25.1	4.9	668.93	25.7	4.9	668.92	25.3	4.9	668.99	29.6	5.1	668.93	25.6	4.9	
PT_ARG_013	656.81	29.63	656.52	25.1	3.1	656.57	25.7	3.1	656.53	25.3	3.1	656.81	29.6	2.8	656.55	25.6	3.1	
PT_ARG_014	648.91	29.63	648.80	25.1	4.7	648.82	25.7	4.7	648.80	25.3	4.7	648.91	29.6	4.9	648.81	25.6	4.7	
PT_ARG_015	627.09	29.63	626.98	25.1	4.3	627.00	25.7	4.3	626.99	25.3	4.3	627.09	29.6	4.5	626.99	25.6	4.3	
PT_ARG_016	608.46	29.63	608.36	25.1	3.8	608.38	25.7	3.8	608.37	25.3	3.8	608.46	29.6	4.0	608.37	25.6	3.8	
PT_ARG_017	595.02	42.76	594.86	36.9	4.2	594.88	36.9	4.3	594.87	42.8	4.3	595.02	42.8	4.4	594.88	36.8	4.3	
PT_ARG_018	582.30	42.76	582.26	36.0	2.9	582.26	36.9	3.0	582.26	36.5	3.0	582.30	42.8	3.3	582.27	36.8	3.0	
PT_ARG_019	574.76	42.76	574.62	36.9	2.7	574.64	36.9	2.7	574.63	42.8	2.7	574.76	42.8	2.8	574.63	36.8	2.7	
PT_ARG_020	564.94	42.76	564.77	36.0	2.7	564.80	36.9	2.7	564.78	36.5	2.7	564.94	42.8	2.8	564.79	36.8	2.7	
PT_ARG_021	562.45	42.76	562.29	36.9	2.9	562.32	36.9	2.9	562.31	42.8	2.9	562.45	42.8	3.0	562.31	36.8	2.9	
PT_ARG_022	558.05	42.76	557.89	36.0	3.5	557.91	36.9	3.5	557.90	36.5	3.5	558.05	42.8	3.7	557.91	36.8	3.5	
PT_ARG_023	555.96	42.76	555.78	36.9	3.0	555.81	36.9	3.1	555.79	42.8	3.0	555.96	42.8	3.2	555.80	36.8	3.1	
PT_ARG_024	554.54	42.76	554.36	36.0	1.3	554.39	36.9	1.3	554.37	36.5	1.3	554.54	42.8	1.3	554.38	36.8	1.3	
PT_ARG_025	552.82	42.76	552.51	36.9	1.6	552.55	36.9	1.6	552.53	42.8	1.6	552.82	42.8	1.5	552.54	36.8	1.6	
PT_ARG_026	548.87	42.76	548.66	36.0	3.0	548.70	36.9	3.0	548.68	36.5	3.0	548.87	42.8	3.1	548.69	36.8	3.0	
PT_ARG_027	544.09	42.76	543.89	36.9	3.2	543.92	36.9	3.2	543.91	42.8	3.2	544.09	42.8	3.2	543.91	36.8	3.2	
PT_ARG_028	542.04	42.76	541.73	36.0	2.6	541.77	36.9	2.7	541.75	36.5	2.7	542.04	42.8	2.7	541.77	36.8	2.7	
PT_DEM_001	917.15	3.64	917.15	3.6	3.2	917.09	3.1	3.1	917.03	2.8	3.0	917.00	2.5	2.9	916.91	1.9	2.7	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_DEM_002	882.33	3.64	882.33	3.6	2.6	882.25	3.1	2.6	882.19	2.8	2.5	882.15	2.5	2.5	882.06	1.9	2.3	
PT_DEM_003	880.41	3.64	880.41	3.6	1.4	880.39	3.1	1.3	880.36	2.8	1.2	880.35	2.5	1.2	880.31	1.9	1.1	
PT_DEM_004	858.31	3.64	858.31	3.6	0.5	858.10	3.1	0.6	857.92	2.8	0.6	857.82	2.5	0.6	857.55	1.9	0.8	
PT_DEM_005	854.83	3.64	854.83	3.6	2.1	854.71	3.1	2.2	854.60	2.8	2.3	854.55	2.5	2.3	854.42	1.9	2.3	
PT_DEM_006	852.36	3.64	852.36	3.6	1.5	852.23	3.1	1.5	852.13	2.8	1.6	852.07	2.5	1.6	851.92	1.9	1.7	
PT_DEM_007	838.46	3.64	838.46	3.6	1.8	838.44	3.1	1.8	838.41	2.8	1.7	838.40	2.5	1.7	838.36	1.9	1.5	
PT_DEM_008	826.31	16.09	826.31	16.1	3.3	826.27	15.3	3.3	826.23	13.8	3.2	826.22	13.3	3.1	826.13	10.5	2.9	
PT_DEM_009	815.44	16.09	815.44	16.1	1.0	815.28	15.3	1.1	815.07	13.8	1.1	815.00	13.3	1.2	814.58	10.5	1.4	
PT_DEM_010	811.81	16.09	811.81	16.1	3.1	811.77	15.3	3.1	811.71	13.8	3.0	811.69	13.3	3.0	811.58	10.5	2.8	
PT_DEM_011	802.44	16.09	802.44	16.1	2.9	802.41	15.3	2.8	802.36	13.8	2.8	802.34	13.3	2.7	802.25	10.5	2.6	
PT_DEM_012	793.77	16.09	793.77	16.1	0.4	793.66	15.3	0.4	793.53	13.8	0.4	793.49	13.3	0.4	793.23	10.5	0.5	
PT_DEM_013	782.67	16.09	782.67	16.1	1.5	782.60	15.3	1.5	782.52	13.8	1.4	782.49	13.3	1.4	782.33	10.5	1.8	
PT_DEM_014	780.54	16.09	780.54	16.1	0.9	780.49	15.3	0.8	780.38	13.8	0.8	780.32	13.3	0.8	779.78	10.5	0.8	
PT_DEM_017	773.57	16.09	773.57	16.1	3.6	773.54	15.3	3.5	773.48	13.8	3.5	773.47	13.3	3.4	773.32	10.5	3.2	
PT_DEM_018	770.96	16.09	770.96	16.1	3.7	770.92	15.3	3.6	770.88	13.8	3.5	770.87	13.3	3.5	770.75	10.5	3.3	
PT_DEM_019	764.10	16.09	764.10	16.1	3.5	764.07	15.3	3.5	764.07	13.8	3.2	764.07	13.3	3.1	764.03	10.5	2.6	
PT_DEM_020	753.85	16.09	753.85	16.1	0.4	753.74	15.3	0.5	753.57	13.8	0.5	753.52	13.3	0.5	753.03	10.5	0.5	
PT_DEM_021	753.76	16.09	753.76	16.1	0.4	753.65	15.3	0.4	753.48	13.8	0.4	753.43	13.3	0.4	752.95	10.5	0.4	
PT_DEM_022	748.03	16.09	748.03	16.1	3.2	747.98	15.3	3.2	747.90	13.8	3.2	747.87	13.3	3.2	747.68	10.5	3.1	
PT_DEM_023	740.81	16.09	740.81	16.1	3.2	740.78	15.3	3.2	740.73	13.8	3.1	740.71	13.3	3.0	740.59	10.5	2.8	
PT_DEM_024	738.89	16.09	738.89	16.1	1.0	738.82	15.3	1.0	738.70	13.8	1.0	738.67	13.3	1.0	738.38	10.5	1.0	
PT_DEM_025	736.59	16.09	736.59	16.1	0.9	736.44	15.3	1.0	736.23	13.8	1.0	736.18	13.3	1.0	735.74	10.5	1.1	
PT_DEM_026	736.58	16.09	736.58	16.1	0.9	736.43	15.3	1.0	736.21	13.8	1.0	736.16	13.3	1.0	735.72	10.5	1.1	
PT_DEM_027	733.28	16.09	733.28	16.1	2.7	733.23	15.3	2.6	733.14	13.8	2.5	733.12	13.3	2.5	732.93	10.5	2.3	
PT_DEM_028	731.58	16.09	731.58	16.1	1.7	731.50	15.3	1.7	731.35	13.8	1.8	731.30	13.3	1.8	730.96	10.5	2.0	
PT_DEM_029	731.02	16.09	731.02	16.1	1.6	730.95	15.3	1.6	730.84	13.8	1.6	730.81	13.3	1.6	730.54	10.5	1.5	
PT_DEM_030	728.78	16.09	728.78	16.1	1.3	728.73	15.3	1.3	728.65	13.8	1.4	728.64	13.3	1.4	728.50	10.5	1.3	
PT_DEM_031	728.36	30.21	728.36	30.2	1.2	728.30	29.6	1.2	728.16	27.2	1.2	728.15	27.2	1.2	727.71	21.9	1.1	
PT_DEM_032	723.07	30.21	723.07	30.2	2.8	723.04	29.6	2.8	722.96	27.2	2.7	722.95	27.2	2.7	722.71	21.9	2.7	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_DEM_033	721.22	30.21	721.22	30.2	2.7	721.20	29.6	2.7	721.15	27.2	2.6	721.14	27.2	2.6	721.01	21.9	2.4	
PT_DEM_034	714.18	30.21	714.18	30.2	3.3	714.13	29.6	3.3	714.05	27.2	3.2	714.04	27.2	3.2	713.82	21.9	3.1	
PT_DEM_035	713.45	30.21	713.45	30.2	1.3	713.39	29.6	1.3	713.26	27.2	1.3	713.25	27.2	1.3	712.71	21.9	1.5	
PT_DEM_036	713.38	30.21	713.38	30.2	0.7	713.32	29.6	0.7	713.18	27.2	0.7	713.18	27.2	0.7	712.61	21.9	0.9	
PT_DEM_037	705.51	30.21	705.51	30.2	3.2	705.47	29.6	3.1	705.38	27.2	3.2	705.38	27.2	3.2	705.17	21.9	3.1	
PT_DEM_038	703.65	41.12	703.65	41.1	1.4	703.59	39.3	1.5	703.47	36.7	1.5	703.47	36.7	1.5	703.18	29.5	1.8	
PT_DEM_039	701.28	41.12	701.28	41.1	1.4	701.21	39.3	1.4	701.06	36.7	1.4	701.06	36.7	1.4	700.72	29.5	1.5	
PT_DEM_040	698.45	41.12	698.45	41.1	3.7	698.41	39.3	3.6	698.33	36.7	3.6	698.33	36.7	3.6	698.13	29.5	3.4	
PT_DEM_041	697.58	41.12	697.58	41.1	3.6	697.56	39.3	3.5	697.52	36.7	3.3	697.52	36.7	3.3	697.35	29.5	3.1	
PT_DEM_042	690.55	41.12	690.55	41.1	3.8	690.52	39.3	3.8	690.46	36.7	3.7	690.45	36.7	3.7	690.31	29.5	3.4	
PT_DEM_043	686.27	41.12	686.27	41.1	3.1	686.24	39.3	3.1	686.16	36.7	3.0	686.16	36.7	3.0	685.95	29.5	2.9	
PT_DEM_044	678.88	41.12	678.88	41.1	3.8	678.84	39.3	3.7	678.78	36.7	3.6	678.77	36.7	3.6	678.61	29.5	3.4	
PT_DEM_045	677.46	41.12	677.46	41.1	2.9	677.42	39.3	2.8	677.35	36.7	2.8	677.34	36.7	2.7	677.17	29.5	2.5	
PT_DEM_046	675.55	41.12	675.55	41.1	4.1	675.51	39.3	4.1	675.44	36.7	4.0	675.44	36.7	4.0	675.28	29.5	3.7	
PT_DEM_047	673.44	41.12	673.44	41.1	2.9	673.40	39.3	2.9	673.34	36.7	2.8	673.34	36.7	2.8	673.19	29.5	2.7	
PT_DEM_048	668.74	41.12	668.74	41.1	3.3	668.70	39.3	3.2	668.60	36.7	3.2	668.60	36.7	3.2	668.38	29.5	3.0	
PT_DEM_049	665.91	41.12	665.91	41.1	2.5	665.88	39.3	2.5	665.82	36.7	2.4	665.82	36.7	2.4	665.67	29.5	2.3	
PT_DEM_050	664.84	41.12	664.84	41.1	2.1	664.79	39.3	2.0	664.71	36.7	2.0	664.70	36.7	2.0	664.37	29.5	2.1	
PT_DEM_051	657.43	53.16	657.43	53.2	3.2	657.41	50.9	3.2	657.36	48.1	3.1	657.36	48.1	3.1	657.20	38.7	3.0	
PT_DEM_052	652.20	53.16	652.20	53.2	3.2	652.17	50.9	3.2	652.12	47.8	3.2	652.12	48.1	3.2	651.96	38.7	3.0	
PT_DEM_053	645.25	53.16	645.25	53.2	3.5	645.21	50.9	3.5	645.14	48.1	3.5	645.14	48.1	3.5	644.90	38.7	3.4	
PT_DEM_054	639.40	53.16	639.40	53.2	2.2	639.35	50.9	2.2	639.24	47.8	2.3	639.25	48.1	2.3	638.86	38.7	2.6	
PT_DEM_055	639.23	53.16	639.23	53.2	0.7	639.18	50.9	0.6	639.07	48.1	0.6	639.08	48.1	0.6	638.46	38.7	0.6	
PT_DEM_056	628.82	53.16	628.82	53.2	3.3	628.79	50.9	3.2	628.73	47.8	3.2	628.74	48.1	3.2	628.57	38.7	3.0	
PT_DEM_057	623.85	53.16	623.85	53.2	3.0	623.82	50.9	3.0	623.77	48.1	2.9	623.77	48.1	2.9	623.62	38.7	2.8	
PT_DEM_058	619.13	53.16	619.13	53.2	3.2	619.11	50.9	3.2	619.06	47.8	3.2	619.06	48.1	3.2	618.93	38.7	3.2	
PT_DEM_059	617.83	53.16	617.83	53.2	3.2	617.80	50.9	3.2	617.77	48.1	3.1	617.77	48.1	3.1	617.59	38.7	3.0	
PT_DEM_060	616.27	53.16	616.27	53.2	1.8	616.25	50.9	1.8	616.21	47.8	1.8	616.21	48.1	1.8	616.11	38.7	1.7	
PT_DEM_061	611.48	53.16	611.48	53.2	2.9	611.46	50.9	2.8	611.42	48.1	2.8	611.43	48.1	2.8	611.28	38.7	2.8	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_DEM_062	609.51	53.16	609.51	53.2	1.2	609.47	50.9	1.2	609.40	47.8	1.2	609.41	48.1	1.2	609.15	38.7	1.2	
PT_DEM_063	609.20	53.16	609.20	53.2	1.2	609.17	50.9	1.2	609.10	48.1	1.1	609.12	48.1	1.1	608.84	38.7	1.1	
PT_DEM_064	607.47	76.37	607.47	76.4	1.5	607.45	75.1	1.5	607.38	71.1	1.5	607.41	73.4	1.5	607.16	59.7	1.5	
PT_DEM_065	604.29	76.37	604.29	76.4	3.8	604.28	75.1	3.8	604.22	73.4	3.7	604.25	73.4	3.7	603.96	59.7	3.8	
PT_DEM_066	596.42	76.37	596.42	76.4	3.6	596.39	75.1	3.6	596.30	71.1	3.6	596.34	73.4	3.6	596.11	59.7	3.5	
PT_DEM_067	592.91	76.37	592.91	76.4	2.9	592.90	75.1	2.9	592.84	73.4	2.8	592.87	73.4	2.9	592.68	59.7	2.7	
PT_DEM_068	590.66	76.37	590.66	76.4	2.1	590.64	75.1	2.1	590.58	71.1	2.0	590.61	73.4	2.1	590.40	59.7	2.0	
PT_DEM_069	587.84	76.37	587.84	76.4	3.2	587.82	75.1	3.2	587.73	73.4	3.1	587.78	73.4	3.2	587.51	59.7	3.0	
PT_DEM_070	586.71	76.37	586.71	76.4	3.5	586.70	75.1	3.5	586.64	71.1	3.5	586.67	73.4	3.5	586.47	59.7	3.3	
PT_DEM_071	583.89	76.37	583.89	76.4	3.0	583.87	75.1	3.0	583.82	73.4	3.0	583.85	73.4	3.0	583.65	59.7	2.9	
PT_DEM_072	582.17	76.37	582.17	76.4	2.3	582.16	75.1	2.3	582.11	71.1	2.3	582.13	73.4	2.3	581.96	59.7	2.2	
PT_DEM_073	577.97	76.37	577.97	76.4	3.2	577.97	75.1	3.2	577.90	73.4	3.1	577.95	73.4	3.1	577.67	59.7	3.1	
PT_DEM_074	576.67	88.43	576.67	88.4	3.3	576.66	87.3	3.3	576.56	83.6	3.4	576.62	86.6	3.3	576.33	70.5	3.5	
PT_DEM_075	573.44	88.43	573.44	88.4	3.1	573.43	87.3	3.1	573.36	86.6	3.1	573.40	86.6	3.1	573.15	70.5	3.1	
PT_DEM_076	570.81	88.43	570.81	88.4	2.6	570.80	87.3	2.6	570.75	83.6	2.5	570.79	86.6	2.6	570.58	70.5	2.4	
PT_DEM_077	567.55	88.43	567.55	88.4	3.3	567.54	87.3	3.3	567.47	86.6	3.3	567.52	86.6	3.3	567.29	70.5	3.1	
PT_DEM_078	566.37	88.43	566.37	88.4	3.0	566.36	87.3	3.0	566.32	83.6	3.0	566.35	86.6	3.0	566.16	70.5	2.9	
PT_DEM_079	563.51	88.43	563.51	88.4	3.1	563.49	87.3	3.1	563.42	86.6	3.1	563.47	86.6	3.1	563.21	70.5	3.2	
PT_DEM_080	556.98	92.84	556.98	92.8	2.8	556.95	92.0	2.8	556.80	87.5	2.8	556.94	91.9	2.8	556.37	74.9	2.9	
PT_DEM_081	556.38	92.84	556.38	92.8	1.8	556.35	92.0	1.8	556.18	91.9	1.8	556.33	91.9	1.8	555.69	74.9	1.8	
PT_DEM_082	549.71	92.84	549.71	92.8	2.6	549.70	92.0	2.6	549.65	87.5	2.6	549.70	91.9	2.6	549.51	74.9	2.4	
PT_DEM_083	546.41	92.84	546.41	92.8	2.8	546.39	92.0	2.8	546.29	91.9	2.8	546.39	91.9	2.8	545.82	74.9	2.9	
PT_DEM_084	545.95	92.84	545.95	92.8	1.8	545.94	92.0	1.8	545.81	87.5	1.8	545.93	91.9	1.8	545.12	74.9	2.0	
PT_DEM_085	545.77	92.84	545.77	92.8	1.6	545.76	92.0	1.6	545.64	91.9	1.6	545.75	91.9	1.6	544.90	74.9	1.7	
PT_DEM_086	543.61	92.84	543.61	92.8	1.6	543.59	92.0	1.6	543.44	87.5	1.6	543.59	91.9	1.6	543.01	74.9	1.6	
PT_DEM_087	539.76	134.30	539.69	128.3	3.3	539.69	128.3	3.3	539.63	134.3	3.3	539.76	134.3	3.4	539.45	111.5	3.2	
PT_DEM_088	538.94	134.30	538.87	128.1	3.4	538.88	128.3	3.4	538.82	123.8	3.4	538.94	134.3	3.5	538.67	111.5	3.2	
PT_DEM_089	538.14	134.30	538.09	128.3	2.7	538.09	128.3	2.7	538.05	134.3	2.6	538.14	134.3	2.7	537.93	111.5	2.6	
PT_DEM_090	537.39	134.30	537.33	128.1	2.6	537.34	128.3	2.6	537.28	123.8	2.6	537.39	134.3	2.6	537.13	111.5	2.6	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_DEM_091	536.67	134.70	536.59	128.6	2.5	536.60	128.6	2.5	536.53	134.7	2.5	536.67	134.7	2.5	536.32	111.8	2.5	
PT_DEM_092	535.05	134.70	535.00	128.4	2.6	535.00	128.6	2.6	534.96	124.1	2.6	535.05	134.7	2.6	534.84	111.8	2.7	
PT_DEM_093	534.40	134.70	534.34	128.6	3.8	534.35	128.6	3.8	534.30	134.7	3.8	534.40	134.7	3.8	534.18	111.8	3.9	
PT_DEM_094	533.61	135.30	533.54	128.9	2.7	533.55	129.1	2.7	533.49	124.5	2.7	533.61	135.3	2.7	533.36	112.4	2.6	
PT_DEM_095	533.05	135.30	532.98	129.1	2.7	532.99	129.1	2.7	532.93	135.3	2.7	533.05	135.3	2.8	532.80	112.4	2.6	
PT_DEM_096	532.22	135.30	532.16	128.9	3.4	532.17	129.1	3.4	532.12	124.5	3.3	532.22	135.3	3.4	532.01	112.4	3.2	
PT_DEM_097	530.75	188.90	530.60	175.4	3.0	530.62	175.4	3.0	530.56	188.9	3.0	530.75	188.9	3.0	530.43	158.3	2.9	
PT_DEM_098	528.20	188.90	528.05	173.8	3.3	528.07	175.4	3.3	528.01	170.0	3.3	528.20	188.9	3.5	527.88	158.3	3.2	
PT_DEM_099	527.22	188.90	527.08	175.4	3.5	527.10	175.4	3.5	527.04	188.9	3.5	527.22	188.9	3.6	526.90	158.3	3.4	
PT_DEM_100	526.08	189.20	525.97	174.1	3.8	525.98	175.7	3.8	525.94	170.2	3.7	526.08	189.2	3.9	525.84	158.6	3.6	
PT_DEM_101	524.89	189.20	524.81	175.7	2.5	524.82	175.7	2.5	524.79	189.2	2.5	524.89	189.2	2.6	524.72	158.6	2.4	
PT_DEM_102	523.75	189.20	523.33	174.1	1.9	523.39	175.7	1.9	523.23	170.2	1.9	523.75	189.2	1.8	522.94	158.6	1.9	
PT_DEM_103	520.78	189.70	520.67	176.1	3.5	520.69	176.1	3.5	520.65	189.7	3.5	520.78	189.7	3.6	520.57	159.2	3.4	
PT_DEM_104	520.06	189.70	519.95	174.5	3.3	519.97	176.1	3.3	519.93	170.6	3.3	520.06	189.7	3.4	519.85	159.2	3.2	
PT_DEM_105	519.05	189.70	518.96	176.1	3.6	518.97	176.1	3.6	518.94	189.7	3.5	519.05	189.7	3.6	518.87	159.2	3.5	
PT_DEM_106	518.35	191.20	518.25	174.3	1.7	518.26	176.4	1.7	518.23	170.8	1.7	518.35	191.2	1.8	518.16	160.8	1.7	
PT_DEM_107	516.75	191.20	516.65	176.4	2.3	516.67	176.4	2.3	516.63	191.2	2.3	516.75	191.2	2.4	516.57	160.8	2.2	
PT_DEM_108	515.43	191.20	515.34	174.3	3.8	515.35	176.4	3.8	515.32	170.8	3.7	515.43	191.2	4.0	515.25	160.8	3.6	
PT_DEM_109	515.35	191.20	515.25	176.4	4.2	515.27	176.4	4.2	515.23	191.2	4.1	515.35	191.2	4.5	515.17	160.8	4.0	
PT_DEM_110	514.67	191.30	514.53	174.5	2.5	514.55	176.5	2.5	514.49	170.9	2.5	514.67	191.3	2.5	514.41	160.9	2.5	
PT_DEM_111	513.82	191.50	513.67	176.7	3.8	513.69	176.7	3.8	513.64	191.5	3.8	513.82	191.5	4.0	513.55	161.1	3.7	
PT_DEM_112	513.03	191.50	512.89	174.6	3.8	512.91	176.7	3.8	512.86	171.0	3.8	513.03	191.5	4.0	512.77	161.1	3.7	
PT_DEM_113	512.72	191.70	512.60	177.4	3.0	512.61	177.4	3.0	512.57	191.7	2.9	512.72	191.7	3.0	512.48	161.9	2.9	
PT_DEM_114	511.42	191.70	511.29	173.6	2.2	511.30	177.4	2.2	511.25	170.6	2.1	511.42	191.7	2.2	511.15	161.9	2.1	
PT_DEM_115	509.67	191.70	509.57	177.4	4.8	509.57	177.4	4.9	509.54	191.7	4.8	509.67	191.7	4.9	509.47	161.9	4.7	
PT_DEM_116	508.29	191.70	508.18	173.6	3.7	508.19	177.4	3.8	508.15	170.6	3.7	508.29	191.7	3.9	508.08	161.9	3.6	
PT_DEM_117	507.08	192.70	506.97	178.1	3.6	506.99	178.1	3.7	506.94	192.7	3.6	507.08	192.7	3.7	506.88	162.8	3.6	
PT_DEM_118	506.36	193.50	506.24	176.0	3.0	506.26	177.8	3.0	506.21	172.2	3.0	506.36	193.5	3.0	506.14	163.4	3.0	
PT_DEM_119	504.42	193.50	504.31	177.8	4.4	504.32	177.8	4.4	504.28	193.5	4.4	504.42	193.5	4.5	504.22	163.4	4.3	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_DEM_120	503.32	193.80	503.19	176.3	2.5	503.21	178.0	2.5	503.16	172.4	2.5	503.32	193.8	2.5	503.09	163.8	2.4	
PT_DEM_121	502.79	193.80	502.66	178.0	2.3	502.68	178.0	2.3	502.64	193.8	2.3	502.79	193.8	2.3	502.57	163.8	2.3	
PT_DEM_122	502.04	193.80	501.91	176.3	2.6	501.92	178.0	2.6	501.88	172.4	2.7	502.04	193.8	2.6	501.80	163.8	2.7	
PT_DEM_123	501.23	195.50	501.06	178.7	2.2	501.08	178.7	2.2	501.02	195.5	2.2	501.23	195.5	2.2	500.93	165.2	2.2	
PT_DEM_124	498.29	195.50	498.21	177.3	2.9	498.22	178.7	2.9	498.19	173.6	2.9	498.29	195.5	2.9	498.15	165.2	2.9	
PT_DEM_125	497.35	195.50	497.21	178.7	1.8	497.22	178.7	1.8	497.18	195.5	1.8	497.35	195.5	1.8	497.11	165.2	1.9	
PT_DEM_126	496.95	195.50	496.77	177.3	1.3	496.79	178.7	1.3	496.73	173.6	1.3	496.95	195.5	1.3	496.65	165.2	1.3	
PT_DEM_127	491.41	202.20	491.28	184.4	3.3	491.29	184.4	3.3	491.25	202.2	3.3	491.41	202.2	3.3	491.20	171.4	3.3	
PT_DEM_128	488.98	202.20	488.86	181.5	3.8	488.87	184.4	3.8	488.84	178.1	3.8	488.98	202.2	4.0	488.79	171.4	3.7	
PT_DEM_129	486.94	202.20	486.85	184.4	3.0	486.86	184.4	3.0	486.83	202.2	3.0	486.94	202.2	3.0	486.79	171.4	2.9	
PT_DEM_130	485.11	202.20	484.95	181.5	4.0	484.96	184.4	4.0	484.91	178.1	4.0	485.11	202.2	3.9	484.85	171.4	4.0	
PT_DEM_131	484.11	202.20	483.93	184.4	3.5	483.94	184.4	3.5	483.89	202.2	3.5	484.11	202.2	3.4	483.84	171.4	3.5	
PT_DEM_132	483.15	202.20	482.98	181.5	3.0	483.00	184.4	2.9	482.95	178.1	3.0	483.15	202.2	2.8	482.89	171.4	3.0	
PT_DEM_133	482.80	202.20	482.58	184.4	1.2	482.61	184.4	1.2	482.54	202.2	1.2	482.80	202.2	1.2	482.46	171.4	1.2	
PT_DEM_134	480.47	202.20	480.32	181.5	2.0	480.33	184.4	2.0	480.30	178.1	2.1	480.47	202.2	2.0	480.26	171.4	2.0	
PT_DEM_135	480.10	213.30	479.92	191.9	1.7	479.94	191.9	1.7	479.89	213.3	1.7	480.10	213.3	1.8	479.85	182.2	1.7	
PT_DEM_136	476.67	213.30	476.59	190.6	1.9	476.60	191.9	1.9	476.58	186.6	1.9	476.67	213.3	1.9	476.56	182.2	1.9	
PT_DEM_137	474.26	213.30	474.17	191.9	2.0	474.18	191.9	2.0	474.16	213.3	2.0	474.26	213.3	2.1	474.14	182.2	2.0	
PT_DEM_138	471.56	213.30	471.42	190.6	2.2	471.43	191.9	2.2	471.39	186.6	2.2	471.56	213.3	2.3	471.36	182.2	2.2	
PT_DEM_139	470.57	213.30	470.40	191.9	2.2	470.41	191.9	2.2	470.37	213.3	2.1	470.57	213.3	2.2	470.33	182.2	2.1	
PT_DEM_140	468.76	213.30	468.06	190.6	2.1	468.13	191.9	2.0	467.98	186.6	2.0	468.76	213.3	1.4	467.93	182.2	2.0	
PT_DEM_141	466.29	213.30	466.06	191.9	1.2	466.07	191.9	1.2	466.02	213.3	1.2	466.29	213.3	1.2	465.99	182.2	1.2	
PT_DEM_142	461.27	213.30	461.12	190.6	3.2	461.13	191.9	3.2	461.10	186.6	3.2	461.27	213.3	3.1	461.08	182.2	3.2	
PT_DEM_143	460.38	213.30	460.15	191.9	1.1	460.16	191.9	1.1	460.12	213.3	1.1	460.38	213.3	1.1	460.09	182.2	1.1	
PT_DEM_144	456.50	213.30	456.33	190.6	1.6	456.34	191.9	1.6	456.31	186.6	1.6	456.50	213.3	1.6	456.28	182.2	1.6	
PT_DEM_145	450.39	213.30	450.27	191.9	3.1	450.28	191.9	3.1	450.26	213.3	3.0	450.39	213.3	3.1	450.24	182.2	3.0	
PT_DEM_146	448.60	213.30	448.49	190.6	2.2	448.50	191.9	2.2	448.48	186.6	2.2	448.60	213.3	2.3	448.46	182.2	2.2	
PT_DEM_147	446.06	213.30	445.97	191.9	1.9	445.98	191.9	1.9	445.96	213.3	1.9	446.06	213.3	1.9	445.95	182.2	1.9	
PT_DEM_148	443.94	213.30	443.83	190.6	2.6	443.84	191.9	2.6	443.82	186.6	2.6	443.94	213.3	2.7	443.81	182.2	2.6	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_FO3_001	810.57	2.46	810.57	2.5	3.0	810.51	2.2	3.0	810.46	1.9	2.9	810.43	1.7	2.8	810.35	1.3	2.7	
PT_FO3_002	780.01	2.46	780.01	2.5	3.2	779.97	2.2	3.1	779.93	1.9	3.1	779.91	1.7	3.0	779.86	1.3	2.7	
PT_FO3_003	761.26	2.46	761.26	2.5	0.0	761.20	2.2	0.0	761.14	1.9	0.0	761.11	1.7	0.0	761.02	1.3	0.0	
PT_FO4_001	633.04	1.89	633.04	1.9	2.3	633.03	1.7	2.2	633.01	1.5	2.1	633.00	1.3	2.0	632.97	1.0	1.9	
PT_FO4_002	611.36	1.89	611.36	1.9	2.2	611.35	1.7	2.1	611.33	1.5	2.0	611.32	1.3	1.9	611.30	1.0	1.7	
PT_FO4_003	585.87	1.89	585.87	1.9	0.1	585.75	1.7	0.2	585.20	1.5	0.1	584.46	1.3	0.4	583.89	1.0	1.0	
PT_FO4_004	554.50	1.89	554.50	1.9	2.4	554.47	1.7	2.3	554.44	1.5	2.6	554.40	1.3	2.4	554.37	1.0	2.1	
PT_FO4_005	538.87	4.30	538.87	4.3	0.4	538.80	3.6	0.4	538.75	3.1	0.3	538.69	2.9	0.3	537.29	2.2	1.6	
PT_FO4_006	533.21	4.30	533.21	4.3	5.5	533.14	3.6	4.7	533.06	3.1	4.0	532.93	2.9	3.5	532.61	2.2	3.1	
PT_FO4_007	529.94	4.30	529.94	4.3	0.9	529.74	3.6	0.9	529.56	3.1	1.0	529.39	2.9	1.0	529.19	2.2	1.0	
PT_FO4_008	522.63	4.30	522.63	4.3	3.5	522.57	3.6	3.4	522.51	3.1	3.4	522.45	2.9	3.3	522.37	2.2	3.2	
PT_FO4_009	518.51	4.30	518.41	4.3	1.0	518.42	3.6	0.3	518.38	3.1	0.2	518.51	2.9	0.1	518.32	2.2	0.1	
PT_FRA_001	638.86	1.25	638.86	1.2	1.7	638.83	1.1	1.6	638.80	0.9	1.5	638.78	0.8	1.5	638.74	0.6	1.4	
PT_FRA_002	604.85	1.25	604.85	1.2	1.1	604.82	1.1	1.1	604.80	0.9	1.0	604.78	0.8	0.9	604.74	0.6	0.8	
PT_FRA_003	589.21	1.25	589.21	1.2	3.2	589.18	1.1	3.0	589.16	0.9	2.8	589.14	0.8	2.6	589.10	0.6	2.3	
PT_FRA_004	579.25	1.25	579.25	1.2	2.1	579.24	1.1	1.9	579.22	0.9	1.8	579.21	0.8	1.7	579.18	0.6	1.5	
PT_FRA_005	569.07	1.25	569.07	1.2	2.0	569.05	1.1	1.8	569.03	0.9	1.7	569.02	0.8	1.6	568.99	0.6	1.4	
PT_FRA_006	557.97	1.25	557.97	1.2	2.4	557.94	1.1	2.2	557.93	0.9	2.1	557.91	0.8	2.0	557.88	0.6	1.8	
PT_FRA_007	547.07	1.25	547.07	1.2	2.4	547.02	1.1	2.3	546.99	0.9	2.2	546.95	0.8	2.1	546.90	0.6	2.0	
PT_FRA_008	539.64	1.25	539.64	1.2	2.3	539.58	1.1	2.2	539.54	0.9	2.1	539.50	0.8	2.1	539.44	0.6	1.9	
PT_FRA_009	533.20	1.25	533.20	1.2	10.5	533.20	1.1	6.9	533.20	0.9	5.1	533.20	0.8	4.0	533.19	0.6	2.7	
PT_FRA_010	526.14	3.57	526.14	3.6	3.5	526.10	3.1	3.4	526.05	2.8	3.3	526.02	2.5	3.2	525.95	1.9	3.0	
PT_FRA_011	516.59	3.57	516.59	3.6	2.6	516.56	3.1	2.5	516.54	2.8	2.4	516.52	2.5	2.3	516.47	1.9	2.1	
PT_FRA_012	508.81	3.57	508.81	3.6	5.1	508.81	3.1	4.4	508.80	2.8	4.1	508.79	2.5	3.8	508.76	1.9	3.3	
PT_FRA_013	504.97	3.57	504.97	3.6	2.4	504.96	3.1	2.4	504.94	2.8	2.3	504.92	2.5	2.3	504.87	1.9	2.1	
PT_FRA_014	502.37	3.57	502.37	3.6	2.1	502.36	3.1	2.1	502.34	2.8	2.0	502.33	2.5	2.0	502.28	1.9	1.8	
PT_FRA_015	501.72	3.57	501.55	3.6	3.4	501.57	3.1	3.4	501.50	2.8	3.3	501.72	2.5	3.5	501.40	1.9	3.2	
PT_GOU_001	791.26	9.27	791.26	9.3	1.5	791.14	8.9	1.5	790.99	8.1	1.6	790.94	7.8	1.6	790.63	6.2	1.9	
PT_GOU_002	768.20	9.27	768.20	9.3	4.0	768.16	8.9	3.9	768.11	8.1	3.8	768.09	7.8	3.8	767.99	6.2	3.5	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_GOU_003	755.42	9.27	755.42	9.3	0.2	755.33	8.9	0.2	754.79	8.1	0.3	754.81	7.8	0.2	752.60	6.2	0.6	
PT_GOU_004	742.14	10.41	742.14	10.4	7.2	742.14	10.2	6.8	742.14	9.1	6.0	742.14	9.1	6.0	742.13	7.4	4.9	
PT_GOU_005	738.59	10.41	738.59	10.4	4.8	738.56	10.2	4.7	738.51	9.1	4.5	738.50	9.1	4.5	738.42	7.4	4.2	
PT_GOU_006	737.18	10.41	737.18	10.4	2.6	737.09	10.2	2.6	736.99	9.1	2.6	736.99	9.1	2.6	736.87	7.4	2.5	
PT_GOU_007	736.52	10.41	736.52	10.4	2.0	736.43	10.2	1.9	736.29	9.1	1.7	736.28	9.1	1.7	736.06	7.4	1.4	
PT_GOU_008	727.06	10.41	727.06	10.4	1.0	726.95	10.2	1.0	726.77	9.1	1.0	726.76	9.1	1.0	726.46	7.4	1.0	
PT_GOU_009	720.52	10.48	720.52	10.5	1.7	720.49	10.3	1.7	720.44	9.4	1.7	720.43	9.4	1.7	720.35	7.7	1.5	
PT_GOU_010	715.96	10.48	715.96	10.5	3.1	715.89	10.3	3.1	715.78	9.4	3.0	715.77	9.4	3.0	715.59	7.7	2.9	
PT_GOU_011	715.06	10.48	715.06	10.5	1.1	714.94	10.3	1.2	714.75	9.4	1.2	714.74	9.4	1.2	714.42	7.7	1.2	
PT_GOU_012	709.84	10.48	709.84	10.5	2.5	709.81	10.3	2.4	709.75	9.4	2.3	709.74	9.4	2.3	709.63	7.7	2.1	
PT_GOU_013	705.35	10.48	705.35	10.5	3.0	705.29	10.3	3.0	705.20	9.4	3.0	705.20	9.4	3.0	705.05	7.7	3.1	
PT_OGE_001	594.40	0.74	594.40	0.7	0.5	594.40	0.6	0.6	594.40	0.5	0.5	594.40	0.4	0.6	594.40	0.3	0.5	
PT_OGE_002	574.39	0.74	574.39	0.7	2.4	574.35	0.6	2.2	574.33	0.5	2.0	574.30	0.4	1.9	574.26	0.3	1.7	
PT_OGE_003	564.03	0.74	564.03	0.7	1.1	563.94	0.6	1.0	563.87	0.5	1.0	563.81	0.4	0.9	563.71	0.3	0.8	
PT_OGE_004	545.28	0.74	545.28	0.7	0.0	545.26	0.6	0.0	545.25	0.5	0.0	545.24	0.4	0.0	544.37	0.3	0.1	
PT_OGE_005	533.18	0.74	533.18	0.7	3.9	533.08	0.6	3.9	532.58	0.5	3.5	532.15	0.4	3.1	531.55	0.3	2.4	
PT_OGE_006	518.27	1.33	518.27	1.3	1.6	518.26	1.2	1.5	518.25	1.0	1.4	518.23	0.9	1.3	518.21	0.7	1.1	
PT_OGE_007	512.66	1.33	512.66	1.3	0.1	512.64	1.2	0.1	512.62	1.0	0.2	512.60	0.9	0.3	512.56	0.7	0.5	
PT_PGL_001	635.35	4.57	635.35	4.6	2.6	635.33	4.1	2.5	635.30	3.6	2.4	635.28	3.4	2.4	635.23	2.7	2.3	
PT_PGL_002	614.14	4.57	614.14	4.6	2.1	614.11	4.1	2.0	614.07	3.6	2.0	614.05	3.4	2.0	613.96	2.7	2.0	
PT_PGL_003	607.51	4.57	607.51	4.6	2.6	607.46	4.1	2.4	607.35	3.6	2.4	607.32	3.4	2.3	607.13	2.7	2.0	
PT_PGL_004	604.40	14.24	604.40	14.2	3.1	604.36	13.6	3.2	604.26	12.6	3.4	604.24	12.4	3.4	604.12	9.9	3.1	
PT_PGL_005	593.87	14.24	593.87	14.2	2.8	593.85	13.6	2.8	593.83	12.6	2.7	593.83	12.4	2.7	593.72	9.9	2.7	
PT_PGL_006	583.79	14.97	583.79	15.0	0.3	583.77	14.8	0.3	583.58	13.5	0.3	583.64	13.5	0.2	582.52	10.9	0.3	
PT_RIO_001	622.71	48.34	622.58	42.4	3.6	622.61	42.4	3.6	622.59	48.3	3.6	622.71	48.3	3.7	622.59	41.7	3.6	
PT_RIO_002	617.03	48.34	616.86	41.3	4.6	616.89	42.4	4.6	616.87	41.8	4.6	617.03	48.3	4.8	616.87	41.7	4.6	
PT_RIO_003	610.79	48.34	610.63	42.4	5.0	610.66	42.4	5.1	610.64	48.3	5.0	610.79	48.3	5.3	610.64	41.7	5.0	
PT_RIO_004	596.56	48.34	596.40	41.3	3.7	596.42	42.4	3.8	596.41	41.8	3.7	596.56	48.3	3.9	596.40	41.7	3.7	
PT_RIO_005	592.54	48.34	592.39	42.4	2.3	592.42	42.4	2.3	592.40	48.3	2.3	592.54	48.3	2.4	592.40	41.7	2.3	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_RIO_006	586.29	48.34	586.16	41.3	3.6	586.18	42.4	3.6	586.16	41.8	3.6	586.29	48.3	3.7	586.16	41.7	3.6	
PT_RIO_007	580.11	48.34	579.75	42.4	1.6	579.82	42.4	1.6	579.77	48.3	1.6	580.11	48.3	1.5	579.77	41.7	1.6	
PT_RIO_008	577.90	53.53	577.72	45.6	2.1	577.75	46.7	2.1	577.73	46.0	2.1	577.90	53.5	2.2	577.73	46.2	2.1	
PT_RIO_009	573.47	53.53	573.26	46.7	1.3	573.30	46.7	1.3	573.27	53.5	1.3	573.47	53.5	1.4	573.28	46.2	1.3	
PT_RIO_010	565.69	53.53	565.54	45.6	1.4	565.56	46.7	1.4	565.54	46.0	1.4	565.69	53.5	1.5	565.55	46.2	1.4	
PT_RIO_011	563.86	53.53	563.69	46.7	1.4	563.72	46.7	1.4	563.70	53.5	1.4	563.86	53.5	1.5	563.70	46.2	1.4	
PT_RIO_012	559.94	53.53	559.72	45.6	1.6	559.76	46.7	1.6	559.74	46.0	1.6	559.94	53.5	1.6	559.74	46.2	1.6	
PT_RIO_013	553.47	53.53	553.30	46.7	2.3	553.33	46.7	2.3	553.31	53.5	2.3	553.47	53.5	2.3	553.32	46.2	2.3	
PT_RIO_014	552.89	53.53	552.61	45.6	2.1	552.67	46.7	2.1	552.63	46.0	2.1	552.89	53.5	2.1	552.64	46.2	2.1	
PT_RIO_015	552.07	53.53	551.80	46.7	1.4	551.87	46.7	1.4	551.82	53.5	1.4	552.07	53.5	1.5	551.83	46.2	1.4	
PT_RIO_016	550.20	53.53	549.97	45.6	1.7	550.01	46.7	1.7	549.98	46.0	1.7	550.20	53.5	1.7	549.99	46.2	1.7	
PT_RIO_017	546.83	53.53	546.59	46.7	2.5	546.64	46.7	2.5	546.60	53.5	2.5	546.83	53.5	2.7	546.61	46.2	2.5	
PT_RIO_018	546.16	53.53	545.91	45.6	1.4	545.96	46.7	1.4	545.93	46.0	1.4	546.16	53.5	1.6	545.94	46.2	1.4	
PT_RIO_019	535.32	53.53	535.18	46.7	3.8	535.20	46.7	3.9	535.19	53.5	3.8	535.32	53.5	4.0	535.19	46.2	3.8	
PT_RIO_020	534.73	53.53	534.56	45.6	1.8	534.59	46.7	1.8	534.57	46.0	1.8	534.73	53.5	1.8	534.58	46.2	1.8	
PT_RIO_021	532.01	53.53	531.94	46.7	2.2	531.95	46.7	2.2	531.94	53.5	2.2	532.01	53.5	2.3	531.94	46.2	2.2	
PT_RIO_022	530.95	53.53	530.80	45.6	1.0	530.82	46.7	1.0	530.76	46.0	1.0	530.95	53.5	1.1	530.64	46.2	1.1	
PT_RPG_001	641.88	10.20	641.88	10.2	3.9	641.86	9.7	3.9	641.82	9.0	3.8	641.82	9.0	3.8	641.72	7.3	3.5	
PT_RPG_002	613.93	10.20	613.93	10.2	0.6	613.89	9.7	0.6	613.79	9.0	0.6	613.79	9.0	0.6	613.58	7.3	0.6	
PT_RPG_003	611.40	10.20	611.40	10.2	0.8	611.36	9.7	0.8	611.27	9.0	0.8	611.26	9.0	0.8	611.03	7.3	0.8	
PT_RPG_004	607.08	10.20	607.08	10.2	2.1	607.06	9.7	2.0	607.02	9.0	1.9	607.01	9.0	1.9	606.91	7.3	1.8	
PT_TER_001	649.00	29.91	648.95	27.6	0.3	648.96	27.6	0.3	648.94	29.9	0.3	649.00	29.9	0.3	648.90	25.3	0.3	
PT_TER_002	646.60	29.91	646.52	27.2	2.4	646.54	27.6	2.4	646.51	27.0	2.4	646.60	29.9	2.4	646.46	25.3	2.4	
PT_TER_003	642.72	29.91	642.64	27.6	2.9	642.66	27.6	3.0	642.63	29.9	2.9	642.72	29.9	3.0	642.57	25.3	2.9	
PT_TER_004	641.64	29.91	641.57	27.2	1.8	641.59	27.6	1.8	641.56	27.0	1.8	641.64	29.9	1.8	641.52	25.3	1.8	
PT_TER_005	638.21	29.91	638.12	27.6	1.8	638.14	27.6	1.8	638.11	29.9	1.8	638.21	29.9	1.8	638.06	25.3	1.7	
PT_TER_006	630.76	36.55	630.65	33.0	2.3	630.68	34.0	2.3	630.65	33.0	2.3	630.76	36.6	2.3	630.57	30.8	2.2	
PT_TER_007	629.78	36.55	629.67	34.0	3.0	629.70	34.0	3.0	629.67	36.6	3.0	629.78	36.6	3.1	629.59	30.8	3.0	
PT_TER_008	623.13	36.55	623.06	33.0	2.7	623.08	34.0	2.7	623.06	33.0	2.7	623.13	36.6	2.8	623.02	30.8	2.7	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_TER_009	619.32	36.55	619.16	34.0	3.3	619.20	34.0	3.3	619.15	36.6	3.3	619.32	36.6	3.2	619.07	30.8	3.3	
PT_TER_010	613.50	36.55	613.40	33.0	3.2	613.42	34.0	3.2	613.39	33.0	3.2	613.50	36.6	3.2	613.32	30.8	3.1	
PT_TER_011	610.13	36.55	610.04	34.0	1.8	610.06	34.0	1.8	610.04	36.6	1.8	610.13	36.6	1.8	609.96	30.8	1.8	
PT_TER_012	606.59	36.55	606.41	33.0	1.9	606.45	34.0	1.9	606.41	33.0	1.9	606.59	36.6	1.9	606.29	30.8	1.9	
PT_TER_013	602.14	36.55	602.01	34.0	3.2	602.05	34.0	3.2	602.01	36.6	3.2	602.14	36.6	3.2	601.92	30.8	3.2	
PT_TER_014	599.59	37.08	599.35	33.5	2.7	599.41	34.2	2.7	599.35	33.5	2.7	599.59	37.1	2.6	599.17	31.2	2.7	
PT_TER_015	599.33	37.08	599.06	34.2	1.3	599.12	34.2	1.3	599.05	37.1	1.3	599.33	37.1	1.3	598.87	31.2	1.3	
PT_TER_016	595.52	37.08	595.34	33.5	1.1	595.39	34.2	1.2	595.34	33.5	1.1	595.52	37.1	1.2	595.22	31.2	1.1	
PT_TER_017	591.74	37.08	591.65	34.2	4.1	591.67	34.2	4.2	591.64	37.1	4.1	591.74	37.1	4.3	591.59	31.2	4.1	
PT_TER_018	588.69	37.08	588.55	33.5	2.4	588.59	34.2	2.4	588.55	33.5	2.4	588.69	37.1	2.4	588.46	31.2	2.4	
PT_TER_019	586.77	37.08	586.70	34.2	3.4	586.71	34.2	3.5	586.69	37.1	3.4	586.77	37.1	3.5	586.65	31.2	3.4	
PT_TER_020	585.18	37.08	585.12	33.5	3.9	585.14	34.2	3.9	585.12	33.5	3.9	585.18	37.1	4.0	585.08	31.2	3.9	
PT_TER_021	583.91	37.08	583.83	34.2	3.4	583.85	34.2	3.4	583.83	37.1	3.4	583.91	37.1	3.5	583.78	31.2	3.3	
PT_TER_022	583.51	37.08	583.42	33.5	3.5	583.44	34.2	3.5	583.42	33.5	3.5	583.51	37.1	3.6	583.37	31.2	3.4	
PT_TER_023	583.10	37.08	583.02	34.2	3.5	583.04	34.2	3.5	583.02	37.1	3.5	583.10	37.1	3.6	582.96	31.2	3.4	
PT_TER_024	582.83	37.08	582.75	33.5	3.3	582.77	34.2	3.3	582.75	33.5	3.3	582.83	37.1	3.4	582.70	31.2	3.2	
PT_TER_025	582.79	37.08	582.71	34.2	3.2	582.73	34.2	3.3	582.71	37.1	3.2	582.79	37.1	3.3	582.66	31.2	3.2	
PT_TER_026	581.40	37.08	581.30	33.5	2.4	581.32	34.2	2.4	581.29	33.5	2.4	581.40	37.1	2.5	581.23	31.2	2.3	
PT_TER_027	580.68	37.08	580.56	34.2	3.5	580.59	34.2	3.5	580.56	37.1	3.5	580.68	37.1	3.6	580.48	31.2	3.5	
PT_TER_028	579.41	37.08	579.28	33.5	3.2	579.31	34.2	3.3	579.28	33.5	3.2	579.41	37.1	3.3	579.20	31.2	3.2	
PT_TER_029	577.56	37.08	577.35	34.2	1.2	577.40	34.2	1.2	577.35	37.1	1.2	577.56	37.1	1.2	577.20	31.2	1.2	
PT_TER_030	573.22	37.08	573.09	33.5	2.7	573.12	34.2	2.7	573.08	33.5	2.7	573.22	37.1	2.7	572.99	31.2	2.6	
PT_TER_031	572.50	37.08	572.31	34.2	1.6	572.36	34.2	1.6	572.31	37.1	1.6	572.50	37.1	1.6	572.17	31.2	1.6	
PT_TER_032	570.32	37.08	570.25	33.5	3.6	570.27	34.2	3.6	570.25	33.5	3.6	570.32	37.1	3.7	570.20	31.2	3.4	
PT_TER_033	568.57	37.08	568.48	34.2	2.2	568.50	34.2	2.2	568.47	37.1	2.2	568.57	37.1	2.3	568.41	31.2	2.2	
PT_TER_034	564.06	37.08	563.97	33.5	3.4	563.99	34.2	3.4	563.97	33.5	3.4	564.06	37.1	3.5	563.92	31.2	3.3	
PT_TER_035	560.70	37.08	560.58	34.2	3.5	560.61	34.2	3.5	560.58	37.1	3.5	560.70	37.1	3.6	560.50	31.2	3.4	
PT_TER_036	557.13	37.08	557.06	33.5	3.5	557.08	34.2	3.5	557.06	33.5	3.5	557.13	37.1	3.6	557.01	31.2	3.4	
PT_TER_037	554.24	44.52	554.14	41.0	3.4	554.17	41.0	3.4	554.14	44.5	3.4	554.24	44.5	3.5	554.05	37.4	3.3	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m ³ /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_TER_038	551.70	44.52	551.58	40.3	3.0	551.61	41.0	3.1	551.58	40.1	3.0	551.70	44.5	3.1	551.46	37.4	3.0	
PT_TER_039	546.11	44.52	546.05	41.0	2.6	546.06	41.0	2.7	546.04	44.5	2.6	546.11	44.5	2.7	545.98	37.4	2.5	
PT_TER_040	543.34	44.52	543.26	40.3	2.6	543.28	41.0	2.6	543.26	40.1	2.6	543.34	44.5	2.6	543.19	37.4	2.6	
PT_TER_041	538.58	44.52	538.47	41.0	3.4	538.50	41.0	3.4	538.47	44.5	3.4	538.58	44.5	3.4	538.37	37.4	3.4	
PT_TER_042	534.49	44.52	534.45	40.3	2.6	534.46	41.0	2.6	534.45	40.1	2.6	534.49	44.5	2.6	534.40	37.4	2.5	
PT_TER_043	530.53	44.52	530.34	41.0	1.3	530.39	41.0	1.3	530.33	44.5	1.3	530.53	44.5	1.2	530.16	37.4	1.4	
PT_TER_044	526.50	44.52	526.41	40.3	3.1	526.43	41.0	3.1	526.40	40.1	3.1	526.50	44.5	3.2	526.32	37.4	3.0	
PT_TRC_001	602.63	58.42	602.63	51.5	2.1	602.61	52.7	2.1	602.57	51.4	2.1	602.57	58.4	2.1	602.47	49.2	2.0	
PT_TRC_002	598.70	58.42	598.70	52.7	1.5	598.69	52.7	1.5	598.67	58.4	1.4	598.67	58.4	1.4	598.63	49.2	1.3	
PT_TRC_003	595.46	58.42	595.46	51.5	1.7	595.45	52.7	1.7	595.42	51.4	1.7	595.42	58.4	1.7	595.34	49.2	1.8	
PT_TRC_004	591.76	58.42	591.76	52.7	2.0	591.75	52.7	2.0	591.72	58.4	1.9	591.71	58.4	1.9	591.65	49.2	1.8	
PT_TRC_005	583.45	58.42	583.45	51.5	1.1	583.43	52.7	1.1	583.32	51.4	1.2	583.32	58.4	1.1	583.24	49.2	1.1	
PT_TRC_006	583.38	58.42	583.38	52.7	0.2	583.35	52.7	0.2	583.15	58.4	0.2	583.15	58.4	0.2	582.64	49.2	0.3	
PT_TRC_007	577.08	57.20	577.08	48.7	1.9	577.07	49.7	1.9	577.06	48.8	1.9	577.06	57.2	1.9	577.00	49.2	1.8	
PT_TRC_008	573.48	57.20	573.48	49.7	1.5	573.48	49.7	1.5	573.46	57.2	1.5	573.46	57.2	1.5	573.41	49.2	1.4	
PT_TRC_009	571.85	57.20	571.85	48.7	0.6	571.85	49.7	0.6	571.81	48.8	0.6	571.81	57.2	0.6	571.69	49.2	0.6	
PT_TRC_010	570.08	57.20	570.08	49.7	1.3	570.08	49.7	1.3	570.06	57.2	1.3	570.06	57.2	1.3	570.01	49.2	1.2	
PT_TRC_011	569.66	57.20	569.66	48.7	1.0	569.66	49.7	1.0	569.65	48.8	1.0	569.65	57.2	1.0	569.60	49.2	0.9	
PT_TRC_012	565.26	57.20	565.26	49.7	2.1	565.25	49.7	2.1	565.21	57.2	2.1	565.21	57.2	2.1	565.06	49.2	2.2	
PT_TRC_013	562.44	57.20	562.44	48.7	1.9	562.44	49.7	1.8	562.42	48.8	1.8	562.42	57.2	1.8	562.34	49.2	1.6	
PT_TRC_014	556.67	57.20	556.65	49.7	4.5	556.65	49.7	4.6	556.61	57.2	4.6	556.67	57.2	4.4	556.53	49.2	4.3	
PT_VCN_001	613.97	1.12	613.97	1.1	1.7	613.95	1.0	1.7	613.94	0.8	1.7	613.92	0.7	1.8	613.86	0.5	1.8	
PT_VCN_002	594.40	1.12	594.40	1.1	1.7	594.38	1.0	1.6	594.37	0.8	1.5	594.35	0.7	1.5	594.32	0.5	1.5	
PT_VCN_003	577.76	1.12	577.76	1.1	0.1	577.74	1.0	0.1	577.22	0.8	0.1	576.11	0.7	0.6	575.95	0.5	0.7	
PT_VCN_004	558.86	1.12	558.86	1.1	2.0	558.78	1.0	1.9	558.73	0.8	1.8	558.67	0.7	1.7	558.57	0.5	1.6	
PT_VCN_005	527.36	2.19	527.36	2.2	1.6	527.30	1.9	1.5	527.26	1.7	1.5	527.22	1.4	1.4	527.15	1.1	1.3	